



# Research Journal of Pharmaceutical, Biological and Chemical Sciences

## Poisonous Plants of Siberia as a Source of the Homeopathic Raw Material.

### Nekratova AN\*.

Federal State Autonomous Educational Institution of Higher Education, National Research Tomsk State University, Tomsk, Lenin Ave., 36.

### **ABSTRACT**

Nowadays there is an increasing interest to such an area of medicine as homeopathy. In this regard, the study of medicinal plants used in homeopathy is of great current interest. The search for new species that can be used in homeopathy is still continuing. The aim of our study was to identify Siberian poisonous plants, which could be used in homeopathy, basing on the author's own research and literature data. The conducted research allowed us to draw a list of poisonous plants of Siberia, used in homeopathy. The list includes 23 species, listed in Latin, with the indication of homeopathic raw materials, area of medicine and the diseases which can be treated applying this species in homeopathy. The author conducted field studies of medicinal plants, including poisonous plants, in Siberia, the Kuznetsk Alatau, in particular. To select the material, the technique of regular laying the key sites and a network of expedition routes were used. In most cases, namely in 17 species, the whole plant can be used as the source of raw material. The underground part alone is used in two species. The aboveground part alone is also used in two species. Most poisonous plants (14 species) are not listed in scientific medicine and are used in traditional medicine and homeopathy. 9 species of poisonous Siberian plants are used in scientific and traditional medicine and homeopathy. Poisonous plants used in homeopathy are applied in treating a variety of diseases, both of mental and somatic nature. The author hopes to continue research in this area to expand the list of species used in homeopathy to help people cope with various diseases which are not always successfully treated by the methods used in conventional medicine. Keywords: poisonous plants, homeopathy.

<sup>\*</sup>Corresponding author



ISSN: 0975-8585

### INTRODUCTION

Nowadays there is an increasing interest to such an area of medicine as homeopathy. The attitude to it can be mixed, but the fact remains that a growing number of people are turning to homeopathic physicians, having lost faith in the official medicine. In this regard, the study of medicinal plants used in homeopathy is of great current interest.

The world resources of homeopathic medicinal raw materials account for 966 species of higher and lower plants which belong to 190 families, 910 substances of chemical and mineral origin, 117 species of animal origin, 380 organs and tissues and 120 nosodes used worldwide for the production of homeopathic medicinal products. Out of higher plant species used in homeopathy the biggest number belongs to such families as: Asteraceae - 8,4%, Fabaceae - 4,6%, Lamiaceae - 4,6%, Apiaceae - 4,1%, Ranunculaceae - 3,4%, Rosaceae - 3,2%, Euphorbiaceae - 2,3%, Rutaceae - 2%, Brassicaceae - 2%, Apocynaceae -1,6% [13].

Herbal raw materials are used to produce homeopathic mother tincture. For this purpose both fresh and dried plant material (aboveground parts, leaves, underground parts, flowers, fruits, seeds, etc.) is used.

Over the past 10 years in the Russian pharmaceutical market there appeared more than 700 complex homeopathic medicinal products, which comprise plant and animal products and nosodes [13]. Vavilova N.M. in her monograph describes 326 homeopathic medications, including 213 of plant origin and 113 of synthetic and mineral origin [2]. Analysis conducted by Belodubrovskaya G.A. et al. of the number of species listed in the domestic pharmacopoeias and used in homeopathy showed that the proportion of "homeopathic" plants ranges within 34-45% of the number of species included in each edition [1]. The search for new species that can be used in homeopathy is still continuing. The aim of our study was to identify Siberian poisonous plants, which could be used in homeopathy, basing on the author's own research and literature data.


### **MATERIALS AND METHODS**

The author conducted field studies of medicinal plants, including poisonous plants, in Siberia, the Kuznetsk Alatau, in particular. To select the material, the technique of regular laying the key sites and a network of expedition routes were used. The occurrence and abundance of medicinal plants in the forests of Kuznetsk Alatau and other regions of Siberia were studied based on the analysis of geo-botanical descriptions [10].

### **EXPERIMENTAL RESULTS AND DISCUSSION**

We have conducted an inventory of Siberian medicinal plants, which are used in such a popular today field of medicine as homeopathy. In order to study these species we compiled a list of medicinal plants of Siberia, used in homeopathy. This study revealed that homeopathy works with 67 species of medicinal plants used in official medicine and 39 species of medicinal plants used in traditional medicine, relating to a total of 103 genera and 50 families [7, 8, 11-13, 15, 17]. Moreover, homeopathy makes use of not only flowering plants, which are the majority, but also gymnosperms, including such families as *Cypress*, *Pine*, *Ephedroid*, and higher cryptograms represented by such families as *Lycopodiaceae*, *Equisetales*, *Dryopteris* [13].

Special attention in our study is devoted to poisonous plants that serve as sources of homeopathic raw materials. 23 species of Siberian medicinal plants used in homeopathy belong to poisonous. By systematic pertinence the largest number of Siberian poisonous plants (4 species from each family) belongs to Ranunculaceae and Solanaceae. Of the Ranunculaceae family, homeopathy uses the following species: Adonis vernalis L., Caltha palustris L., Pulsatilla flavescens (Zucc.) Juz., Ranunculus acris L. The Solanaceae family is represented in homeopathy by: Datura stramonium L., Hyoscyamus niger L., Solanum dulcamara L., Solanum nigrum L. Next by the number is the species from the family of Apiaceae: Cicuta virosa L., Conium maculatum L. The remaining families are represented in homeopathy by one species of poisonous plants: Aristolochiaceae - Asarum europaeum L., Asteraceae - Tanacetum vulgare L., Boraginaceae - Symphytum officinale L., Convallariaceae - Convallaria majalis L., Crassulaceae - Sedum acre L., Dryopteridaceae - Dryopteris filix-mas (L.) Schott., Ericaceae - Rhododendron aureum Georgi, Paeoniaceae - Paeonia anomala L., Papaveraceae - Chelidonium majus L., Parnassiaceae - Parnassia palustris L., Scrophulariaceae - Scrophularia nodosa L., Thymelaeaceae - Daphne mezereum L.





Below is a description of poisonous plants, indicated with their Latin names, specifying homeopathic raw materials, the area of medicine where these species are applied and the range of treatable diseases (Table). In most cases, namely in 17 species, the whole plant can be used as the source of raw material. The underground part alone is used in two species: *Cicuta virosa* L. and *Paeonia anomala* L. The aboveground part alone is also used in two species: *Rhododendron aureum* Georgi and *Solanum dulcamara* L.

Most poisonous plants (14 species) are not listed in scientific medicine and are used in traditional medicine and homeopathy. 9 species of poisonous Siberian plants are used in scientific and traditional medicine and homeopathy.

Poisonous plants used in homeopathy are applied in treating a variety of diseases, both of mental and somatic nature.

Poisonous plants of Siberia used in homeopathy

Species	Homeopathic raw material	Area of medicine	Application in homeopathy
1. Adonis vernalis L.	Aboveground part and the whole of the plant	Scientific and traditional medicine and homeopathy	Heart diseases, thyrotoxicosis, insomnia [4 9].
		[4, 9, 14, 15]	
2. Asarum europaeum L.	Underground part and the whole of the plant	Scientific and traditional medicine and homeopathy	Alcoholism, hysteria, neurasthenia, dyspepsia [3].
		[4, 9, 14, 15]	
3. Caltha palustris L.	The whole plant	Traditional medicine and	Uterine cancer and various skin diseases
		homeopathy [9, 13, 14]	[3].
4. Chelidonium majus L.	The whole plant, roots alone, the	Scientific and traditional	Cholelithiasis, hepatitis, pneumonia,
	aboveground part, flower	medicine and homeopathy [4, 9, 14, 15]	whooping cough, headache on the right side of the head, dermatosis, arthritis [3].
5. Cicuta virosa L.	Underground part	Traditional medicine and	Epilepsy, dizziness, gastritis, dermatitis,
		homeopathy [9, 13, 14]	neurasthenia, etc. [3].
6. Conium maculatum L.	Inflorescence, tops of the aboveground	Traditional medicine and	Paresis and paralysis, insomnia, prostate
	part, the whole plant	homeopathy	adenoma, bronchitis, uterine fibroids, etc
		[9, 13, 14]	[3].
7. Convallaria majalis L.	The whole plant, the aboveground part	Scientific and traditional	Depression, cardiac neurosis, headache,
	alone, leaves, flowers	medicine and homeopathy	etc. [3].
		[4, 9, 14, 15]	
8. Daphne mezereum L.	Trunk and branches bark	Traditional medicine and	Cystitis, eczema, rhinitis, trigeminal
		homeopathy [9, 13, 14]	neuralgia, stomatitis, etc. [3].
9. Datura stramonium L.	The whole plant, the aboveground and	Scientific and traditional	Manic-depressive psychosis, stuttering,
	underground parts alone, leaves, seeds	medicine and homeopathy	hiccups, epilepsy, infectious diseases,
		[4, 9, 14, 15]	asthma, trigeminal neuralgia, etc. [3].
10. Dryopteris filix-mas (L.) Schott.	Rootstock and leafstalk	Scientific and traditional	Helminthic invasions [5, 6].
		medicine and homeopathy	
11. Hyoscyamus niger L.	Leaves and the whole plant with seeds	[4, 9, 14, 15] Scientific and traditional	Manic-depressive psychosis,
11. Hyoscyallias Higer L.	Leaves and the whole plant with seeds	medicine and homeopathy	atherosclerosis of cerebral vessels, night
		[4, 9, 14, 15]	terrors in children, bronchitis, tracheitis,
		[1,3,11,13]	fever, etc. [3].
12. Paeonia anomala L.	Underground part	Scientific and traditional	Sedative
		medicine and homeopathy	
		[4, 9, 14, 15]	
13. Paris quadrifolia L.	The whole plant	Traditional medicine and	Headaches, concussion, dizziness,
		homeopathy	drowsiness, neuralgia, bronchitis,
		[9, 13, 14]	rheumatism, digestive disorders, and
			others. [3].
14. Parnassia palustris L.	The whole plant	Traditional medicine and	Kidneys and bladder diseases
		homeopathy [9, 13, 14]	
15. Pulsatilla flavescens (Zucc.) Juz.	The aboveground part and the whole	Traditional medicine and	Nerve and gastric diseases, inflammation
15. Puisatilla flavescens (Zucc.) Juz.	plant	homeopathy	the inner ear, measles [9].
	p.a	[9, 13, 14]	the limer car, measies (5).
16. Ranunculus acris L.	The aboveground part and the whole	Traditional medicine and	Nerve and gastric diseases, inflammation
	plant	homeopathy	the inner ear, measles [9].
	·	[9, 13, 14]	, , , , ,
17. Rhododendron aureum Georgi	Branches with leaves and flowers	Traditional medicine and	Arthritis, osteochondrosis, herpes, eczem
		homeopathy	headache, etc. [3].
		[9, 13, 14]	
18. Scrophularia nodosa L.	The aboveground part and the whole	Traditional medicine and	Hepatitis, headache, keratitis, mastopath
	plant	homeopathy	etc. [3].
		[9, 13, 14]	
19. Sedum acre L.	The whole plant	Traditional medicine and	Hemorrhoids, pain in the rectum, etc. [16
	1	homeopathy	1



ISSN: 0975-8585

		[9, 13, 14]	
20. Solanum dulcamara L.	Young leaf-bearing shoots with flowers	Traditional medicine and homeopathy	Sciatica, paralysis, rhinitis, tracheitis, gastritis, hives, etc. [3].
		[9, 13, 14]	gastifits, flives, etc. [5].
21. Solanum nigrum L.	The whole plant	Traditional medicine and	Ergot poisoning, ocular pressure and
		homeopathy	pruritus in the limbs, etc. [9, 16].
		[9, 13, 14]	
22. Symphytum officinale L.	The whole plant, the aboveground and	Traditional medicine and	Peptic ulcer, gastritis, hemorrhoids,
	underground parts alone.	homeopathy	fractures, etc. [3].
		[9, 13, 14]	
23. Tanacetum vulgare L.	The aboveground part, inflorescence and	Traditional medicine and	Nervous system exhaustion, dizziness,
	flowers separately	homeopathy	epilepsy, stomach pains, headaches, etc.
		[9, 13, 14]	[3].

### **CONCLUSIONS**


The conducted inventory of Siberian poisonous plants showed that 23 species are used in homeopathy and other areas of medicine and serve as a source of homeopathic raw material. However there are other understudied medicinal and poisonous plants, that could be promising to apply in homeopathy. A list of these plants is quite extensive and includes species from different families, used both in scientific and traditional medicine. The author hopes to continue research in this area to expand the list of species used in homeopathy to help people cope with various diseases which are not always successfully treated by the methods used in conventional medicine.

#### **ACKNOWLEDGEMENTS**

The research was funded by the Program of Improving the Marketability of Tomsk State University

### REFERENCES

- [1] Belodubrovskaya G and Zhokhova E. Nomenklatura lekharstvennykh sredstv, ispolzuyemykh v gomeopatii [Nomenclature of medicinal plants used in homeopathy]. Guidance manual, 1998;59 pp. [in Russian].
- [2] Vavilov N. 1994, Homeopathic pharmacodynamics. "Homeopathic Centre", Smolensk, Part 1 507 pp., Part 2 475 pp. [in Russian].
- [3] Homeopathy. Complete Encyclopaedia, 2001, author: Alefirov A., 384 pp. [in Russian].
- [4] State Register of Medicinal Products, 2004, Official publication: 2 vols. [in Russian].
- [5] Diagnostic Analysis Repertory, (computer program "DAR", version 1.0), author Kosmodemyanskii L. [in Russian].
- [6] Kosmodemyanskii L. 2003, Vvedeniye v gomeopatiyu [Introduction to Homeopathy]., 106 pp. [in Russian].
- [7] Kosmodemyanskii L and Nekratova A. 2007, Primeneniye Ivan-chaia v gomeopatii [The use of French willow in homeopathy], Proceedings of the III Russian Homeopathic Congress, 91 pp. [in Russian].
- [8] Kosmodemyanskii L. and Nekratova A., 2009, K izucheniyu sibirskikh lekharstvennykh rastenii, primeniaemykh v gomeopatii [To the study of Siberian medicinal plants used in homeopathy], Homeopathic yearbook, 107-112. [in Russian].
- [9] Medicinal plants of Siberia, 5th edition, 1991, Minaeva V., 431 pp. [in Russian].
- [10] Nekratova A., 2005, Lesnaya flora Kuznetskogo Alatau [Forest flora of Kuznetsk Alatau], Dissertation thesis, 20 pp. [in Russian].
- [11] Nekratova A., 2007, Perspektivnyie lekharstvennyie rasteniya Sibiri, intensivno primeniaemyie v narodnoi medicine i rekomenduyemyie k primeneniyu v gomeopatii [Promising medicinal plants of Siberia intensively used in traditional medicine and recommended for homeopathic usage], Proceedings of the regional scientific-practical conference "Actual problems and achievements of agricultural science in cattle farming, crop production and the economy". Vol. 10, 45-48. [in Russian].
- [12] Nekratova A., 2014, Lekharstvennyie rasteniya Sibiri, primenyaemyie v goeopatii [Medicinal plants of Siberia, used in homeopathy], 129 pp. [in Russian].
- [13] Patudin A., Tereshina N., Mishchenko V. and Gubanov I., 2006, Mirovyie pesursy gomeopaticheskogo lekharstvennogo syria [World resources of homeopathic medicinal raw materials], 560 pp. [in Russian].





- [14] The list of simple (one-component) homeopathic medicines authorized for use in accordance with the order of the Ministry of Health of the Russian Federation № 335 from 29.11.1995. [in Russian].
- [15] Plants for us. 1996, Reference book, authors: Blinov K., Vandyshev V., Komarova M., et al., 652 pp. [in Russian].
- [16] Sinelnikov V., 2007, Gomeopatiya doctora Sinelnikova: polnyi patogenez lekharstvennyh sredstv [Doctor's Sinelnikhov's homeopathy: a full pathogenesis of medicinal products], 639 pp. [in Russian].
- [17] Flora of Siberia. 1987 2003, Volumes 1 14. [in Russian].